

V

R
I
M

<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

index

TL

ε 0

= TIMH

PIRELLI

index

TL

ε 0

= TIMH

VeeMoto

index

TL

ε 0

= TIMH

Ιανουάριος
2024

METZELER



Sportec M9 RR



RoadTec 01



Tourance Next 2

PIRELLI



Rosso 4 Corsa



Angel GT II



Scorpion Trail II

VeeMoto



V-396 Manhattan



V-359 Πατιά



V-221 Enduro

Τ
Ι
Μ
Ο
Κ
Α
Τ
Α
Λ
Ο
Γ
Ο
Σ

A-24

1/1/2024

intramoto

METZELER

PIRELLI

VeeMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH
---	-------------	--------------	----------	-------	----	-------	------

PIRELLI	index	TL	ε ο =	TIMH
---------	-------	----	-------	------

VeeMoto	index	TL	ε ο =	TIMH
---------	-------	----	-------	------

ΠΑΠΙΑ

ΠΑΠΙΑ	R I M	ΔΙΑΣΤΑΣΕΙΣ	METZELER		PIRELLI		VeeMoto					
			index	TL ε ο =	index	TL ε ο =	index	TL ε ο =				
ΠΑΠΙΑ	17"	60/100 - 17			SUPER-City {NEW}	33L	TT ε	38	V359-sport	33P	TT ε	25
	!	2.50 - 17	ME22-sport/rf. (4PR)	43P TT = 39	ANGEL-City/rf.	43P	TT =	39	V359-sport	38P	TT =	27
	!	2.75 - 17	ME22-sport/rf. (6PR)	47P TT = 42	ANGEL-City/rf.	47P	TT ο	42	V359-sport	41P	TT =	30
	!	2.50 - 17			SUPER-City {NEW}	38P	TT ε	39	V022-enduro	38R	TT =	29
	!	2.75 - 17			SUPER-City {NEW}/rf.	47P	TT ο	42	V022-enduro	47R	TT =	33
	!	2.75 - 17			City-Cross/rf.	47P	TT ο	42				
	!	70/90 - 17	"ANGEL-City--Παπιά"		> ANGEL-City	38S	TL ε	40				
	!	80/90 - 17			> ANGEL-City	44S	TL ο	44				
	!	70/90 - 17	"ROSSO-Sport--Παπιά"		> ROSSO-Sport	38S	TL =	48				
	!	80/90 - 17			> ROSSO-Sport	44S	TL =	56				
	!	90/80 - 17	"ANGEL-City--SuperΠαπιά"		> ANGEL-City	46S	TL =	79				
	!	120/70 - 17			> ANGEL-City	58S	TL =	101				
ΠΑΠΙΑ	!	90/80 - 17	"ROSSO-Sport--SuperΠαπιά"		> ROSSO-Sport	46S	TL =	95				
	!	120/70 - 17			> ROSSO-Sport	58S	TL ο	132				
	14"	2.25 - 14							V020	24B	TT =	19
	16"	2.1/4 - 16							V099/rf.	38J	TT =	18
	!	2.1/2 - 16							V099/rf.	42J	TT =	22
	!	2.3/4 - 16							V099/rf.	46J	TT =	29
	17"	50/45 - 17							V223-magic	22P	TT =	22
	!	60/45 - 17							V223-magic	29P	TT =	25
	!	70/45 - 17							V223-magic	39P	TT =	29
	!	45/90 - 17							V360-satan	19S	TT =	22
!	65/75 - 17							V266-Dragster	35S	TT ο	44	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto								
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH			
SCOOTER (6" εως 11")																	
SCOOTER	6"	5.4 - 6									V213	4PR	TT	ο	53		
	8"	3.00 - 8									V113	37J	TT	=	20		
	!	3.50 - 8									V108 / V164-enduro	45J	TT	=	27		
	!	4.00 - 8									V108	55J	TT	=	28		
	10"	2.50 - 10									V018	39J	TT	=	22		
	!	2.75 - 10									V119B	40J	TT	=	23		
	!	3.00 - 10									Samson-054	50J	TT	=	26		
	!	3.00 - 10	ROADTEC-scoot/rf.	50J	TL	=	39	ANGEL-scoot/rf.	50J	TL	=	39	V396-Manhattan	42J	TL	=	28
	!	3.50 - 10									Samson-054	59J	TT	=	27		
	!	3.50 - 10									V219-enduro	51J	TT	=	29		
	!	3.50 - 10	ROADTEC-scoot/rf.	59J	TL	=	46	ANGEL-scoot/rf. (6PR)	59J	TL	=	46	V396-Manhattan/rf.	59J	TL	=	33
	!	80/90 - 10						ANGEL-scoot.	44J	TL	=	40					
	!	90/90 - 10	ROADTEC-scoot.	50J	TL	=	45	ANGEL-scoot.	50J	TL	=	45	V134	50J	TL	=	33
	!	100/80 - 10	ROADTEC-scoot.	53L	TL	=	46	ANGEL-scoot.	53L	TL	=	46	V396-Manhattan	53L	TL	=	33
	!	100/90 - 10	ROADTEC-scoot/rf.	61J	TL	=	46	ANGEL-scoot.	56J	TL	=	46	V396-Manhattan	56J	TL	=	33
	!	110/80 - 10	ROADTEC-scoot.	58L	TL	=	51	ANGEL-scoot.	58J	TL	=	51					
	!	120/70 - 10	ROADTEC-scoot/rf.	54L	TL	=	54	ANGEL-scoot/rf.	54L	TL	=	54	V396-Manhattan/rf.	54P	TL	=	39
!	120/90 - 10	ROADTEC-scoot.	66L	TL	=	52	ANGEL-scoot.	66J	TL	=	52	V119B	66L	TL	=	38	
!	120/90 - 10										V137-enduro	66M	TL	=	38		
!	130/70 - 10	ROADTEC-scoot/rf.	59L	TL	=	54	ANGEL-scoot/rf.	59L	TL	=	54						
!	130/90 - 10	ROADTEC-scoot.	61L	TL	=	55	ANGEL-scoot.	61J	TL	=	55	V137-enduro	66M	TL	=	41	
SCOOTER	11"	110/70 - 11					ANGEL-scoot.	45L	TL	=	54	V396-Manhattan	45L	TL	=	40	
	!	120/70 - 11					ANGEL-scoot/rf.	56L	TL	=	54	V396-Manhattan/rf.	56L	TL	=	41	
	!	130/70 - 11	*ROADTEC-scoot/rf.	60L	TL	=	59	ANGEL-scoot/rf.	60L	TL	=	59	*V134	60L	TL	=	47

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto								
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
SCOOTER (12" & 13")																	
SCOOTER	12"	3.00 - 12									V094	43J	TT	=	30		
	!	90/90 - 12	ROADTEC-scoot.	44J	TL	=	63	ANGEL-scoot.	44J	TL	=	63	V396-Manhattan	44J	TL	=	44
	!	100/90 - 12	ROADTEC-scoot.	59J	TL	=	65	ANGEL-scoot.	59J	TL	=	65					
	!	110/70 - 12	ROADTEC-scoot.	47P	TL	=	54	ANGEL-scoot.	47P	TL	=	54	V396-Manhattan	47P	TL	=	40
	!	110/90 - 12	ROADTEC-scoot.	64P	TL	ε	70	ANGEL-scoot.	64P	TL	=	70	V396-Manhattan	64P	TL	=	52
	!	120/70 L 12						ANGEL-scoot.	51L	TL	=	55					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	ο	61	ANGEL-scoot/rf.	58P	TL	ο	61					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	=	61	ANGEL-scoot.	51P	TL	=	61	V396-Manhattan/rf.	58P	TL	=	45
	!	120/70 S 12						ANGEL-scoot.	51S	TL	ε	62					
	!	130/70 L 12	ROADTEC-scoot/rf.	62L	TL	ο	59	ANGEL-scoot.	56L	TL	=	58					
	!	130/70 P 12	ROADTEC-scoot/rf.	62P	TL	ο	65	ANGEL-scoot/rf.	62P	TL	=	65	V396-Manhattan/rf.	62P	TL	=	49
	!	140/70 - 12	ROADTEC-scoot.	60L	TL	=	69	ANGEL-scoot/rf.	65P	TL	ο	74					
	!	120/80 - 12										V133-enduro	65J	TL	=	49	
	!	130/80 - 12										V133-enduro	69J	TL	=	55	
SCOOTER	13"	110/70 P 13	ROADTEC-scoot.	48P	TL	ε	61	ANGEL-scoot.	48P	TL	ε	61					
	!	110/70 S 13	ROADTEC-scoot/rf.	54S	TL	=	62	ANGEL-scoot.	48S	TL	ε	62					
	!	110/90 - 13	ROADTEC-scoot.	56P	TL	ε	71	ANGEL-scoot.	56P	TL	ε	71	V119B	56P	TL	ε	49
	!	120/70 - 13	ROADTEC-scoot.	53L	TL	=	60	ANGEL-scoot.	53P	TL	ε	62					
	!	130/60 - 13	ROADTEC-scoot.	53L	TL	=	57	ANGEL-scoot/rf.	60P	TL	=	62	V396-Manhattan/rf.	60P	TL	=	48
	!	130/70 - 13	ROADTEC-scoot/rf.	63P	TL	ο	71	ANGEL-scoot/rf.	63P	TL	ο	71	V119C/rf.	63P	TL	ο	51
	!	140/60 - 13	ROADTEC-scoot/rf.	63P	TL	ο	77	ANGEL-scoot/rf.	63P	TL	ο	77					
	!	140/70 - 13						ANGEL-scoot.	61P	TL	ο	79					
	!	150/70 - 13	ROADTEC-scoot.	64S	TL	ο	87	ANGEL-scoot.	64S	TL	ο	87					
	!	150/70 - 13						ROSSO-scoot.	64S	TL	ο	89					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto				
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	
SCOOTER (14")															
SCOOTER	14"	80/80 - 14	ROADTEC-scoot/rf.	43S	TL =	42	ANGEL-scoot/rf.	43S	TL ε	42					
	!	80/90 - 14					ROSSO-Sport	40S	TL =	44	V396-Manhattan/rf.	46P	TL =	32	
	!	90/80 - 14	ROADTEC-scoot/rf.	49S	TL ε	45	ANGEL-scoot/rf.	49S	TL =	45					
	!	90/90 - 14	ROADTEC-scoot.	46P	TL ε	55	ROSSO-Sport	46S	TL =	57	V396-Manhattan	46P	TL =	43	
	!	100/80 - 14	ROADTEC-scoot/rf.	54S	TL =	62	ANGEL-scoot/rf.	54S	TL =	62	V396-Manhattan/rf.	54P	TL =	47	
	!	100/80 - 14					ROSSO-Sport	48S	TL =	63					
	!	100/90 - 14	ROADTEC-scoot/rf.	57P	TL ο	73	ANGEL-scoot/rf.	57P	TL ο	73	V396-Manhattan/rf.	57P	TL =	55	
	!	100/90 - 14					ROSSO-Sport/rf.	57S	TL ο	76					
	!	110/70 - 14					ANGEL-scoot/rf.	56S	TL =	78					
	!	110/80 - 14	ROADTEC-scoot/rf.	59S	TL ε	61	ANGEL-scoot/rf.	59S	TL =	61	V396-Manhattan/rf.	59S	TL =	47	
	!	110/80 - 14					MT15-Mandrake/rf.	59J	TL ο	61					
	!	120/70 - 14	ROADTEC-scoot.	55S	TL =	73	ANGEL-scoot.	55P	TL =	72	V396-Manhattan	55S	TL =	54	
	!	120/70 - 14					ROSSO-scoot.	55S	TL ε	74					
	!	120/80 - 14	ROADTEC-scoot.	58S	TL =	79	ANGEL-scoot.	58P	TL =	78	V119B	58S	TL =	57	
	!	120/80 - 14					ROSSO-scoot.	58S	TL =	80					
	SCOOTER	!	140/60 P 14	ROADTEC-scoot/rf.	64P	TL ο	84	ANGEL-scoot/rf.	64P	TL ο	84				
		!	140/60 S 14					ANGEL-scoot/rf.	64S	TL ο	86				
		!	140/70 P 14	ROADTEC-scoot/rf.	68P	TL ο	89	ANGEL-scoot/rf.	68P	TL ο	89				
!		140/70 S 14	ROADTEC-scoot/rf.	68S	TL ο	91	ANGEL-scoot/rf.	68S	TL ο	91	V475-Emperor {NEW}	62S	TL ο	72	
!		150/70 P 14					ANGEL-scoot.	66P	TL ο	96					
!		150/70 S 14	ROADTEC-scoot.	66S	TL ο	98	ANGEL-scoot.	66S	TL ο	98	V475-Emperor {NEW}	66S	TL ο	79	
!	150/70 S 14					ANGEL-sco. Beverly-350	66S	TL ο	98						
!	150/70 S 14					ROSSO-scoot.	66S	TL ο	100						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto					
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH
SCOOTER (15" & 16")														
SCOOTER	15"	80/90 - 15									V396-Manhattan	47P	TL ε	49
	!	120/70 P 15					ANGEL-scoot.	56P	TL ε	79	V224	56P	TL ε	58
	!	120/70 S 15	ROADTEC-scoot.	56S	TL ε	80	ANGEL-scoot.	56S	TL ε	80	V475-Emperor {NEW}	56S	TL ε	64
	!	120/70 S 15					ROSSO-scoot.	56S	TL ε	82				
	!	130/80 - 15					ANGEL-scoot.	63S	TL ο	97	V224	63P	TL ο	73
	!	140/70 - 15					Sport-DEMON/rf.	69P	TL ο	102				
	16"	80/80 - 16					MT15-Mandrake/rf.	45J	TL ε	50	V144/rf.	46J	TL =	35
	!	90/80 - 16					MT15-Mandrake/rf.	51J	TL =	57	V144/rf.	52J	TL =	40
	!	90/80 - 16					ANGEL-scoot/rf.	51S	TL =	57	V396-Manhattan/rf.	51S	TL =	43
	!	100/80 - 16	ROADTEC-scoot.	50P	TL ε	70	ANGEL-scoot.	50P	TL ε	70	V396-Manhattan/rf.	50S	TL =	50
	!	110/70 P 16	ROADTEC-scoot.	52P	TL =	86	ANGEL-scoot.	52P	TL =	86				
	!	110/70 S 16	ROADTEC-scoot.	52S	TL ε	87	ANGEL-scoot.	52S	TL ε	87	V396-Manhattan	52S	TL =	62
	!	120/70 - 16					Sport-DEMON	57P	TL ε	89				
	!	120/80 - 16	ROADTEC-scoot.	60P	TL ο	83	ANGEL-scoot.	60P	TL ο	83	V396-Manhattan	60S	TL =	59
	!	130/70 P 16					ANGEL-scoot.	61P	TL ο	100				
	!	130/70 S 16	ROADTEC-scoot.	61S	TL ο	102	ANGEL-scoot.	61S	TL ο	102	V396-Manhattan	61S	TL =	75
!	130/80 - 16	ROADTEC-scoot.	64P	TL ο	107	ANGEL-scoot.	64P	TL ο	107					
!	140/70 - 16	ROADTEC-scoot.	65P	TL ο	98	ANGEL-scoot.	65P	TL ο	98	V396-Manhattan	65S	TL =	74	
SCOOTER	SCOOTER "Rosso-RACE-SC" / Karoo-Street													
	12"	100/90 - 12					> ROSSO-SC/rf. (+RACE)	64P	TL ε	79	< RACE > SCOOTER			
	!	120/80 - 12					> ROSSO-SC (+RACE)	55P	TL ο	94				
	14"	140/70 P 14	KAROO-Street m+s	62P	TL ο	165	> ROSSO-SC (+RACE)	62S	TL ο	102				
	15"	120/70 P 15	KAROO-Street m+s	56P	TL ε	140	> ROSSO-SC (+RACE)	56S	TL ε	91				

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI						
			index	TL	ε	ο	TIMH	index	TL	ε	ο	TIMH	index	TL	ε	ο	TIMH
SCOOTER (HRadial / SRadial / Rally-STR)																	
H R - S R	14"	120/70 HR 14	Feel-Free (HR)	55HR	TL	ε	121	ROSSO-scoot. (HR)	55HR	TL	ε	149					
	!	160/60 HR 14	Feel-Free (HR)	65HR	TL	ο	142	ROSSO-scoot. (HR)	65HR	TL	ο	176					
	15"	120/70 HR 15	Feel-Free (HR)	56HR	TL	ε	123	ROSSO-scoot. (HR)	56HR	TL	ε	152					
	!	160/60 HR 15	Feel-Free (HR)	67HR	TL	ο	148	ROSSO-scoot. (HR)	67HR	TL	ο	184	Sco.-Rally-STR m+s	67HR	TL	ο	207
	16"	120/70 HR 16						ROSSO-scoot. (HR)	57HR	TL	ε	159					
	!	130/70 SR 16	ROADTEC-scoot. (SR)	61SR	TL	ο	143	ANGEL-scoot. (SR)	61SR	TL	ο	143					
	17"	120/70 HR 17						ROSSO-scoot. (HR)	58HR	TL	ε	143	Sco.-Rally-STR m+s	58HR	TL	ε	185

Track--RACE (Slick)																	
S L I C K	17"	100/70 R 17						> SBKslick SC1 (RACE)	NHS	TL	ε	257					
	!	120/70 R 17						> SBKslick SC1>2 (RACE)	NHS	TL	ο	305					
	!	110/70 R 17						> SBKslick SC1 (RACE)	NHS	TL	ε	246					
	!	140/70 R 17						> SBKslick SC1>2 (RACE)	NHS	TL	ο	275					
	!	120/70 R 17	> RRslick K1>2 (RACE)	NHS	TL	ε	267	> SBKslick SC1>3 (RACE)	NHS	TL	ε	296					
	!	125/70 R 17	> RRslick K1 (RACE)	NHS	TL	ε	292	> SBKslick SC1>3 (RACE)	NHS	TL	ε	312					
	!	180/60 R 17	> RRslick K1>2 (RACE)	NHS	TL	ο	348										
	!	190/60 R 17						> SBKslick SCX>1 (RACE)	NHS	TL	ο	420					
	!	200/60 R 17	> RRslick K0>2 (RACE)	NHS	TL	ο	402	> SBKslick SC0>3 (RACE)	NHS	TL	ο	448					
	!	200/65 R 17	> RRslick K0 (RACE)	NHS	TL	ο	438	> SBKslick SCX>3 (RACE)	NHS	TL	ο	452					

< RACE >
SLICK

Track--RACE (SM--Supermoto)																	
S M	17"	125/75 R 420 <u>16,5</u>	> SMslick K1>2 (RACE)	NHS	TL	ε	215	> SM-RAIN (RACE)	NHS	TL	ε	246					
	!	125/75 R 17	> SMslick K1>2 (RACE)	NHS	TL	ε	211	> SM-RAIN (RACE)	NHS	TL	ε	246					
	!	165/55 R 17	> SMslick K0>2 (RACE)	NHS	TL	ο	275	> SM-RAIN (RACE)	NHS	TL	ο	322					

< RACE >
SuperMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH
Track--DAYS (TD--Slick)																	
T D	17"	120/70 R 17	>	TDslick (RACE)	NHS	TL	ε	232									
	!	180/55 R 17	>	TDslick (RACE)	NHS	TL	ο	267									
	!	180/60 R 17	>	TDslick (RACE)	NHS	TL	ο	272									
	!	190/55 R 17	>	TDslick (RACE)	NHS	TL	ο	275									
	!	200/55 R 17	>	TDslick (RACE)	NHS	TL	ο	285									
														< RACE > <u>TD--SLICK</u>			

Track--RACE (Χαραχτά--Γόμεις)																	
Γ Ο Μ Ε Σ	17"	110/70 VR 17	>	RRχαραχ. K1 (RACE)	54V	TL	ε	274	>	ScorsaV4 SC1 (RACE)	54V	TL	ε	315			
	!	120/70 ZR 17	>	RRχαραχ. K1>2 (RACE)	(58W)	TL	ε	293	>	ScorsaV4 SC1>2 (RACE)	58W	TL	ε	349			
	!	140/70 VR 17	>	RRχαραχ. K1 (RACE)	66V	TL	ο	314	>	ScorsaV4 SC1 (RACE)	66V	TL	ο	363			
	!	180/60 ZR 17	>	RRχαραχ. K1>2 (RACE)	(75W)	TL	ο	379	>	ScorsaV4 SC0>2 (RACE)	75V	TL	ο	474			
	!	200/55 ZR 17	>	RRχαραχ. K1>2 (RACE)	(78W)	TL	ο	411	>	ScorsaV4 SC1>2 (RACE)	78V	TL	ο	495			
														< RACE > <u>ΧΑΡΑΧΤΑ</u>			

Track--ROAD (SP-V2 / SP-V4)																	
T - R O A D	17"	110/70 ZR 17								SuperCorsa--V4 {SP}	54W	TL	ε	211			
	!	120/70 ZR 17								SuperCorsa--V4 {SP}	(58W)	TL	ε	272			*SuperCorsa-V2 {SP} (58W) TL ε 163
	!	140/70 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	244			
	!	150/60 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	254			
	!	180/55 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	310			*SuperCorsa-V2 {SP} (73W) TL ο 221
	!	190/50 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	325			
	!	190/55 ZR 17								SuperCorsa--V4 {SP}	(75W)	TL	ο	333			*SuperCorsa-V2 {SP} (75W) TL ο 235
	!	200/55 ZR 17								SuperCorsa--V4 {SP}	(78W)	TL	ο	349			
!	200/60 ZR 17								SuperCorsa--V4 {SP}	(80W)	TL	ο	415				
														SP-V2 Special-Edition {Track + Road} {-25%			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	
Track--ROAD / HYPERSPORT																		
T R A C K - R O A D	17"	120/70 ZR 17	M9 RR Sportec	(58W)	TL	ε	204	Diablo-ROSSO IV	(58W)	TL	ε	215	ROSSO IV Corsa	(58W)	TL	ε	230	
	!	160/60 ZR 17	M9 RR Sportec	(69W)	TL	ο	255	Diablo-ROSSO IV	(69W)	TL	ο	269						
	!	180/55 ZR 17	M9 RR Sportec	(73W)	TL	ο	269	Diablo-ROSSO IV	(73W)	TL	ο	283	ROSSO IV Corsa	(73W)	TL	ο	303	
	!	180/60 ZR 17	M9 RR Sportec	(75W)	TL	ο	278						ROSSO IV Corsa	(75W)	TL	ο	314	
	!	190/50 ZR 17	M9 RR Sportec	(73W)	TL	ο	283	Diablo-ROSSO IV	(73W)	TL	ο	295	ROSSO IV Corsa	(73W)	TL	ο	318	
	!	190/55 ZR 17	M9 RR Sportec	(75W)	TL	ο	292	Diablo-ROSSO IV	(75W)	TL	ο	306	ROSSO IV Corsa	(75W)	TL	ο	326	
	!	200/55 ZR 17	M9 RR Sportec	(78W)	TL	ο	297	Diablo-ROSSO IV	(78W)	TL	ο	312	ROSSO IV Corsa	(78W)	TL	ο	343	
	!	200/60 ZR 17						Diablo-ROSSO IV	(80W)	TL	ο	322	ROSSO IV Corsa	(80W)	TL	ο	379	
	19"	120/70 ZR 19	M9 RR Sportec	60W	TL	ε	195											
	17"	170/60 ZR 17	M9 RR Sportec	72W	TL	ο	250											

SUPERSPORT (ZR)																	
S U P E R S P O R T	16"	130/70 ZR 16	M7 RR Sportec(CBR-old)	(61W)	TL	ε	163										
	17"	110/70 ZR 17	M7 RR Sportec	54W	TL	ε	123										
	!	120/60 ZR 17	M7 RR Sportec	(55W)	TL	ε	125										
	!	120/70 ZR 17	M7 RR Sportec	(58W)	TL	ε	133	Diablo-ROSSO III / D	(58W)	TL	ε	183					
	!	150/60 ZR 17	M7 RR Sportec	66W	TL	ο	153										
	!	160/60 ZR 17	M7 RR Sportec	(69W)	TL	ο	168	Diablo-ROSSO III	(69W)	TL	ο	230					
	!	180/55 ZR 17	M7 RR Sportec	(73W)	TL	ο	177	Diablo-ROSSO III	(73W)	TL	ο	242					
	!	190/50 ZR 17	M7 RR Sportec	(73W)	TL	ο	184	Diablo-ROSSO III	(73W)	TL	ο	253					
	!	190/55 ZR 17	M7 RR Sportec	(75W)	TL	ο	191	Diablo-ROSSO III	(75W)	TL	ο	263					
	!	240/45 ZR 17						Diablo-ROSSO III	(82W)	TL	ο	292					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
SUPERSPORT (HR / ZR)																	
S U P E R S P O R T	17"	110/70 <> 17	M5 Sportec (HR)	54H	TL	ε	109										
	!	120/70 <> 17	M5 Sportec (ZR)	(58W)	TL	ε	116	ROSSO II (ZR) K / D	(58W)	TL	ε	129	*ROSSO II (HR) 2823	58H	TL	###	114
	!	150/60 HR 17	M5 Sportec (HR)	66H	TL	ο	135						DOT				
	!	160/60 <> 17	M5 Sportec (ZR)	(69W)	TL	ο	148	ROSSO II (ZR)	(69W)	TL	ο	162	*ROSSO II (HR) 2022	69H	TL	###	103
	!	180/55 ZR 17	M5 Sportec (ZR)	(73W)	TL	ο	157	ROSSO II (ZR)	(73W)	TL	ο	170					
	!	190/50 ZR 17						ROSSO II (ZR)	(73W)	TL	ο	178					
	!	190/55 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	183	Rosso-II (HR) Last-Edition {10% / 35%}				
	!	200/50 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	208					

HYPERTOUR (Heavy / Sport / RoadTec--02 NEW)																	
H Y P E R T O U R	17"	120/70 ZR 17	RoadTec-01 (HWM)	(58W)	TL	ε	189	Angel-GT2 (A)	(58W)	TL	ε	235	METZELER RoadTec--02 (NEW)				
	!	180/55 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	249	Angel-GT2 (A)	(73W)	TL	ο	313					
	!	190/50 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	260	Angel-GT2 (A)	(73W)	TL	ο	326					
	!	190/55 ZR 17	RoadTec-01 (HWM)	(75W)	TL	ο	270	Angel-GT2 (A)	(75W)	TL	ο	334					
	!	120/70 ZR 17	RoadTec-01 (SE-sport)	(58W)	TL	ε	181	Angel-GT2	(58W)	TL	ε	226	RoadTec-02 (NEW)	(58W)	TL	ε	202
	!	160/60 ZR 17	RoadTec-01 (SE-sport)	(69W)	TL	ο	228	Angel-GT2	(69W)	TL	ο	283	RoadTec-02 (NEW)	(69W)	TL	ο	254
	!	180/55 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	241	Angel-GT2	(73W)	TL	ο	297	RoadTec-02 (NEW)	(73W)	TL	ο	269
	!	190/50 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	251					RoadTec-02 (NEW)	(73W)	TL	ο	280	
!	190/55 ZR 17	RoadTec-01 (SE-sport)	(75W)	TL	ο	260					RoadTec-02 (NEW)	(75W)	TL	ο	290		
!	110/80 VR 19											RoadTec-02 (NEW)	59V	TL	ε	226	
!	150/70 VR 17											RoadTec-02 (NEW)	69V	TL	ο	264	
!	120/70 VR 19	RoadTec-01 (SE-sport)	60W	TL	ε	209	Angel-GT2	60V	TL	ε	254	RoadTec-02 (NEW)	60V	TL	ε	233	
!	170/60 VR 17	RoadTec-01 (SE-sport)	72W	TL	ο	245	Angel-GT2	72V	TL	ο	294	RoadTec-02 (NEW)	72V	TL	ο	273	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH
SUPERTOUR														
S U P E R T O U R	17"	120/70 ZR 17	Z8-RoadTec (Interact)	(58W)	TL	ε	142	Angel-GT	(58W)	TL	ε	192		
	!	120/70 ZR 17						Angel-GT (A)	(58W)	TL	ε	199		
	!	160/60 ZR 17	Z8-RoadTec (Interact)	(69W)	TL	ο	176	Angel-GT	(69W)	TL	ο	235		
	!	170/60 ZR 17	Z8-RoadTec (Interact)	(72W)	TL	ο	189							
	!	180/55 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	189	Angel-GT	(73W)	TL	ο	251		
	!	180/55 ZR 17						Angel-GT (A)	(73W)	TL	ο	262		
	!	190/50 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	195	Angel-GT (A)	(73W)	TL	ο	275		
	!	190/55 ZR 17						Angel-GT (A)	(75W)	TL	ο	283		
	18"	110/80 ZR 18	Z8-RoadTec (Interact)	(58W)	TL	ε	155							
	!	120/70 ZR 18	Z8-RoadTec (Interact)	(59W)	TL	ε	150	Angel-GT	(59W)	TL	ε	200		
	!	160/60 ZR 18	Z8-RoadTec (Interact)	(70W)	TL	ο	187							
	19"	110/80 VR 19						Angel-GT	59V	TL	ε	175		
17"	150/70 <> 17	Z8-RoadTec (Interact)	(69W)	TL	ο	184	Angel-GT	69V	TL	ο	203			

SPORTOUR														
S T O U R	17"	120/70 ZR 17	*Z6-RoadTec (Sportour)	(58W)	TL	ε	116	Angel-ST	(58W)	TL	ε	148		
	!	160/60 ZR 17	*Z6-RoadTec (Sportour)	(69W)	TL	ο	146	Angel-ST	(69W)	TL	ο	185		
	!	180/55 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL	ο	153	Angel-ST	(73W)	TL	ο	195		
	!	190/50 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL	ο	158	Angel-ST	(73W)	TL	ο	203		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
CUSTOM																	
CUSTOM	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	143	MT66-Route	66S	TT	ο	133	V195 Custom	66S	TT	ο	97
	!	140/90 - 15	ME888-Marathon	70HB	TL	ο	260	MT66-Route	70H	TL	ο	177	V393R Cruze	76H	TL	ο	119
	!	150/90 - 15	ME888-Marathon/rf.	80HB	TL	ο	280										
	!	170/80 - 15	ME888-Marathon	77HB	TL	ο	307	Night-DRAGON GT	77HB	TL	ο	239	V393R Cruze	77H	TL	ο	146
	16"	130/90 - 16	ME888-Marathon	67HB	TL	ε	238	Night-DRAGON	67HB	TL	ε	196					
	!	130/90 - 16	ME888-Marathon/rf.	73HB	TL	ο	302	Night-DRAGON GT/rf.	73HB	TL	ο	247	V393R Cruze	73H	TL	ο	123
	!	130/90 - 16	ME888-Marath(WW)	67H	TL	ε	315										
	!	130/90 - 16	ME888-Marath(WW)/rf	73HB	TL	ο	405										
	!	140/90 - 16	ME888-Marathon/rf.	77HB	TL	ο	315										
	!	150/80 - 16	ME888-Marathon	71H	TL	ε	292	Night-DRAGON	71HB	TL	ε	239					
CUSTOM	!	150/80 - 16	ME888-Marathon/rf.	77HB	TL	ο	311	Night-DRAGON GT/rf.	77HB	TL	ο	251					
	!	160/80 - 16	ME888-Marathon	75HB	TL	ο	353										
	!	170/70 - 16	ME888-Marathon	75HB	TL	ο	337										
	17"	120/70 - 17	ME888-Marathon	58VB	TL	ε	220										
	!	120/90 - 17	ME888-Marathon	64S	TT	ε	188	MT66-Route	64S	TT	ε	123					
	!	160/70 - 17	ME888-Marathon/rf.	79VB	TL	ο	324										
	!	170/60 - 17	ME888-Marathon/rf.	78VR	TL	ο	402										
	18"	3.00 - 18	ME77-Perfect	47S	TL	=	99	City-DEMON	47S	TL	ε	92					
	!	100/90 - 18	ME888-Marathon	56H	TL	ε	206										
	!	120/70 - 18	ME888-Marathon	(59W)	TL	ε	337										
CUSTOM	!	130/70 - 18	ME888-Marathon	63HB	TL	ε	223										
	19"	100/90 - 19	ME888-Marathon	57H	TL	ε	214	Night-DRAGON	57H	TL	ε	164	V393F Cruze	57H	TL	ε	89
	!	110/90 - 19	ME888-Marathon	62H	TL	ε	231										
	21"	80/90 - 21	ME888-Marathon	48H	TL	ε	201										
	!	90/90 - 21	ME888-Marathon	54H	TL	ε	214										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	εο	TIMH	index	TL	εο	TIMH	index	TL	εο	TIMH
CUSTOM "SPECIAL--ORDERS" (15" εως 150/70--18")														
C U S T O M - S P E C I A L - O R D E R S	15"	160/80 - 15	ME888-Marathon	74S	TT	o	226							
	!	170/80 - 15	ME888-Marath.(WW)	77HB	TL	o	408							
	!	180/70 - 15	ME888-Marathon	76HB	TL	o	285							
	!	200/70 - 15	ME888-Marathon	82HB	TL	o	323							
	16"	130/90 - 16	Cruisetec/rf.	73HB	TL	ε	301							
	!	130/90 - 16	Cruisetec/rf.	73HB	TL	o	301							
	!	140/90 - 16	ME888-Marath(WW)/rf	77HB	TL	o	422							
	!	150/80 - 16	Cruisetec	71H	TL	ε	291							
	!	150/80 - 16	Cruisetec/rf.	77HB	TL	o	310							
	!	180/60 - 16	ME888 / Cruisetec/rf.	80HR	TL	o	386							
	!	180/65 - 16	ME888 / Cruisetec/rf.	81HB	TL	o	357							
	!	180/70 - 16	ME888 / Cruisetec	77VR	TL	o	374							
	!	200/55 - 16	Cruisetec/rf.	77HR	TL	o	555							
	!	200/60 - 16	ME888-Marathon	79VR	TL	o	421							
	!	240/50 - 16	Cruisetec	84VR	TL	o	469							
	17"	130/80 - 17	ME888 / Cruisetec	65HB	TL	ε	222							
	!	140/75 - 17	ME888-Marathon	67VR	TL	ε	324							
	!	140/80 - 17	ME888-Marathon	69H	TL	ε	268							
	!	150/80 - 17	Cruisetec	72VR	TL	ε	329							
	!	160/70 - 17	Cruisetec/rf.	79VB	TL	o	323							
!	200/55 - 17	ME888 / Cruisetec	78VR	TL	o	420								
!	210/50 - 17	ME888-Marathon	(78W)	TL	o	474								
18"	130/70 - 18	ME888-Marathon	63VR	TL	ε	311								
!	130/70 - 18	Cruisetec	63HR	TL	ε	320								
!	140/70 - 18	ME888-Marathon/rf.	73HB	TL	ε	274								
!	150/70 - 18	ME888 / Cruisetec/rf.	76HB	TL	o	346								

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	εο	=	TIMH	index	TL	εο	=	TIMH	index	TL	εο	=	TIMH
CUSTOM "SPECIAL--ORDERS" (18" εως 21")																	
SPECIAL-ORDERS	18"	180/55 - 18	ME888 / Cruisetec/rf.	80HB	TL	ο	399										
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	ο	443										
	!	210/40 - 18	ME888-Marathon	73HR	TL	ο	413										
	!	240/40 - 18	ME888 / Cruisetec	(79VR)	TL	ο	451										
	!	260/40 - 18	ME888 / Cruisetec	(84VR)	TL	ο	477										
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	ο	502										
	!	300/35 - 18	ME888-Marathon	(87VR)	TL	ο	535										
	19"	100/90 - 19	Cruisetec	57H	TL	ε	214										
	!	100/90 - 19	ME888-Marath.(WW)	57H	TL	ε	289										
	!	110/90 - 19	Cruisetec	62H	TL	ε	231										
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	ε	352										
	!	130/60 - 19	ME888 / Cruisetec	61HB	TL	ε	365										
	21"	120/70 - 21	ME888-Marathon	62V	TL	ε	276										

STREET "S / H / V" (15" εως 16")																	
STREET	15"	130/90 - 15						MT66-Route	66S	TT	ο	133	V195 Custom	66S	TT	ο	97
	!	130/90 - 15	ME77-Perfect	66S	TL	ο	143	City-DEMON	66S	TL	ο	139					
	!	140/90 - 15	ME77-Perfect	70S	TT	ο	149	MT66-Route	70H	TL	ο	177					
	16"	3.50 - 16											V159	66P	TT	ο	55
	!	100/90 - 16	RoadTec-01	54H	TL	ε	136										
	!	110/90 - 16	ME77-Perfect	59S	TT	ε	98										
	!	110/90 - 16	ME77-Perfect	59S	TL	ο	119										
	!	120/90 - 16	ME77-Perfect	63H	TL	ο	133	City-DEMON	63S	TL	ο	131	V195 Custom	63S	TL	ο	94
	!	130/90 - 16	RoadTec-01	67H	TL	ε	162										
	!	130/90 - 16	RoadTec-01	67V	TL	ο	185										
	!	150/80 - 16	RoadTec-01	71H	TL	ο	178										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH	
STREET "S / H / V" (17")																		
S T R E E T	17"	90/80 - 17	"ANGEL-City--SuperΠαπιά"					>	ANGEL-City	46S	TL	=	79					
	!	120/70 - 17						>	ANGEL-City	58S	TL	=	101					
	!	90/80 - 17	"ROSSO-Sport--SuperΠαπιά"					>	ROSSO-Sport	46S	TL	=	95					
	!	120/70 - 17						>	ROSSO-Sport	58S	TL	=	132					
S T R E E T	17"	3.00 - 17	ME22-sport/rf.	50P	TT	=	55						V158	47P	TT	=	41	
	!	80/90 - 17						ANGEL-City (Παπί)	44S	TL	o	44						
	!	80/100 - 17						ANGEL-City	46S	TL	ε	94						
	!	90/90 - 17						ANGEL-City	49S	TL	=	95						
	!	100/70 - 17						ANGEL-City	49S	TL	o	97						
	!	100/80 <> 17	RoadTec-01	52H	TL	ε	104	ANGEL-City	52S	TL	ε/o	103	V396-Manhattan	52P	TL	ε	67	
	!	100/80 - 17						ROSSO-Sport	52S	TL	=	109						
	!	100/90 - 17						ANGEL-City	55S	TL	o	108						
	!	110/70 - 17						ANGEL-City	54S	TL	=	105						
	!	110/70 - 17	RoadTec-01	54H	TL	ε	123	ROSSO-Sport	54S	TL	=	112						
S T R E E T	!	110/80 - 17	RoadTec-01	57H	TL	ε	135											
	!	130/70 - 17	RoadTec-01	62H	TL	o	153	ANGEL-City	62S	TL	o	115	V396-Manhattan	62P	TL	o	82	
	!	130/70 - 17						ROSSO-Sport	62S	TL	o	127						
	!	130/80 - 17	RoadTec-01	65H	TL	o	169											
	!	140/70 - 17	*SPORTEC-Street 2	66S	TL	=	137	ANGEL-City	66S	TL	o	129						
	!	140/70 - 17	RoadTec-01	66H	TL	o	174	ROSSO-Sport	66S	TL	o	138						
	!	140/80 - 17	RoadTec-01	69V	TL	o	196											
	!	150/60 - 17						ANGEL-City	66S	TL	o	140						
	!	150/60 - 17						ROSSO-Sport	66S	TL	o	149						
	!	150/70 - 17	RoadTec-01	69V	TL	o	204											

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto									
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH				
STREET "S / H / V" (18" εως 19")																		
S T R E E T	18"	2.75 - 18	ME22-sport/rf.	48P	TL	=	60	SUPER-City {NEW}	42P	TL	ε	60	V160/rf.	48P	TL	=	44	
	!	3.00 - 18	ME22-sport/rf.	52P	TL	=	79						V160	47P	TL	=	52	
	!	3.00 - 18	ME77-Perfect	47S	TL	=	99	City-DEMON	47S	TL	ε	92						
	!	3.25 - 18	ME22-sport/rf.	59P	TT	=	84											
	!	3.50 - 18	ME22-sport/rf.	62P	TT	=	95											
	!	80/100 - 18	RoadTec-01	47P	TL	ε	96											
	!	90/90 - 18	RoadTec-01	51P	TL	ο	105	SUPER-City {NEW}	51P	TL	ο	79	V160	57P	TT	=	54	
	!	100/90 - 18	RoadTec-01	56H	TL	ε	142						V160	56S	TL	=	73	
	!	100/90 - 18	RoadTec-01	56V	TL	ε	153											
	!	110/90 - 18	RoadTec-01	61H	TL	ο	161											
	!	120/80 - 18	RoadTec-01	62H	TL	ο	168											
	!	130/80 - 18	Lasertec	(66V)	TL	ο	199											
	!	100/90 - 19	Lasertec	57V	TL	ε	175											
	!	90/90 <> 19	RoadTec-01	52H	TL	ε	135						V158	52S	TT	ε	65	
!	100/90 - 19	RoadTec-01	57V	TL	ε	157												

ENDURO

ENDURO--ST+ (MT60--RS)

M T 6 0	17"	120/70 ZR 17					MT60-RS	(58W)	TL	ε	189						
	!	160/60 HR 17					MT60-RS	69HR	TL	ο	248						
	!	180/55 ZR 17					MT60-RS	(73W)	TL	ο	295						
	18"	110/80 HR 18					MT60-RS	58HR	TL	ε	237						
	!	120/70 ZR 18					MT60-RS	(59W)	TL	ε	248						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
ENDURO--ST+ (Tourance--NEXT 2 / Scorpion-Trail II / Trail-III NEW)																	
E N D U R O - S T +	17"	120/70 ZR 17					Scorpion-Trail II	(58W)	TL	ε	168	Sco.Trail III {NEW}	(58W)	TL	ε	197	
	!	130/80 VR 17	Tourance-NEXT 2	65V	TL	ο	179	Scorpion-Trail II	65V	TL	ο	168	Sco.Trail III {NEW}	65V	TL	ο	194
	!	140/80 VR 17	Tourance-NEXT 2	69V	TL	ο	203	Scorpion-Trail II	69V	TL	ο	189	Sco.Trail III {NEW}	69V	TL	ο	217
	!	160/60 ZR 17					Scorpion-Trail II	(69W)	TL	ο	183	Sco.Trail III {NEW}	(69W)	TL	ο	203	
	!	180/55 ZR 17					Scorpion-Trail II	(73W)	TL	ο	249	Sco.Trail III {NEW}	(73W)	TL	ο	287	
	!	190/55 ZR 17					Scorpion-Trail II	(75W)	TL	ο	259	Scorpion-Trail III {NEW}					
	18"	100/90 - 18										Sco.Trail III {NEW}	56V	TL	ε	142	
	!	150/70 VR 18	Tourance-NEXT 2	70V	TL	ο	185	Scorpion-Trail II	70V	TL	ο	172	Sco.Trail III {NEW}	70W	TL	ο	226
	19"	100/90 - 19	Tourance-NEXT 2	57V	TL	ε	158					Sco.Trail III {NEW}	57V	TL	ε	165	
	21"	90/90 - 21	Tourance-NEXT 2	54V	TL	ε	149	Scorpion-Trail II	54V	TL	ε	139	Sco.Trail III {NEW}	(54V)	TL	ε	172
19"	110/80 VR 19	Tourance-NEXT 2	59V	TL	ε	159	Scorpion-Trail II	59V	TL	ε	149	Sco.Trail III {NEW}	59V	TL	ε	172	
17"	150/70 VR 17	Tourance-NEXT 2	69V	TL	ο	198	Scorpion-Trail II	69V	TL	ο	185	Sco.Trail III {NEW}	69V	TL	ο	213	
19"	120/70 VR 19	Tourance-NEXT 2 / B	60V	TL	ε	160	Scorpion-Trail II	60V	TL	ε	149	Sco.Trail III {NEW}	60V	TL	ε	173	
17"	170/60 VR 17	Tourance-NEXT 2 / B	72V	TL	ο	204	Scorpion-Trail II	72V	TL	ο	189	Sco.Trail III {NEW}	72V	TL	ο	217	
19"	120/70 ZR 19	Tourance-NEXT 2	60W	TL	ε	164	Scorpion-Trail II D	60W	TL	ε	151	Sco.Trail III / D {NEW}	60W	TL	ε	175	
17"	170/60 ZR 17	Tourance-NEXT 2	72W	TL	ο	210	Scorpion-Trail II D	72W	TL	ο	194	Sco.Trail III / D {NEW}	72W	TL	ο	225	
ENDURO--ST+ (Tourance--NEXT)																	
E N D U R O - S T +	19"	110/80 VR 19	*Tourance-NEXT	59V	TL	ε	149										
	17"	150/70 VR 17	*Tourance-NEXT	69V	TL	ο	187										
	19"	120/70 VR 19	*Tourance-NEXT	60V	TL	ε	149										
	17"	170/60 VR 17	*Tourance-NEXT	72V	TL	ο	190										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH	
ENDURO--ST (Tourance--NEW)																		
E N D U R O - S T	17"	120/90 - 17	Tourance (NEW)	64S	TT	o	119											
	!	130/80 S 17	Tourance (NEW)	65S	TT	o	135											
	!	130/80 SR 17	Tourance (NEW)	65S	TL	o	137											
	!	130/80 HR 17	Tourance (NEW)	65H	TL	o	146											
	!	140/80 HR 17	Tourance (NEW)	69H	TL	o	164											
	18"	120/80 - 18	Tourance (NEW)	62S	TT	o	108											
	19"	100/90 S 19	Tourance (NEW)	57S	TT	ε	119											
	!	100/90 H 19	Tourance (NEW)	57H	TL	ε	128											
	21"	90/90 S 21	Tourance (NEW)	54S	TT	ε	119											
	!	90/90 H 21	Tourance (NEW)	54H	TL	ε	128											
	19"	110/80 H 19	Tourance (NEW)	59H	TL	ε	121											
	17"	150/70 HR 17	Tourance (NEW)	69H	TL	o	168											
	19"	110/80 VR 19	Tourance (NEW)	59V	TL	ε	128											
	17"	150/70 VR 17	Tourance (NEW)	69V	TL	o	172											

KAROO--4 / Scorpion-Rally "DESERT"																		
K A R O O	17"	130/80 - 17	KAROO-4 m+s (RAD)	65Q	TL	o	212						V474 Hitman-55 (A/T)	65Q	TL	o	103	
	!	140/80 - 17	KAROO-4 m+s (RAD)	69Q	TL	o	224											
	18"	140/80 - 18	KAROO-4 m+s	70S	TL	o	216	Sco. Rally Race / Desert	70R	TT	o	228		V474 Hitman-55 (A/T)	70Q	TL	o	115
	!	150/70 - 18	KAROO-4 m+s (RAD)	70T	TL	o	227							V474 Hitman-55 (A/T)	70Q	TL	o	132
	19"	100/90 - 19	KAROO-4 m+s	57S	TL	ε	209											
	21"	90/90 - 21	KAROO-4 m+s	54T	TL	ε	174	Sco. Rally Race / Desert	54R	TT	ε	173		V474 Hitman-55 (A/T)	54Q	TL	ε	89
	19"	110/80 - 19	KAROO-4 m+s (RAD)	59T	TL	ε	212							V474 Hitman-55 (A/T)	59Q	TL	ε	93
	17"	150/70 - 17	KAROO-4 m+s (RAD)	69T	TL	o	235							V474 Hitman-55 (A/T)	69Q	TL	o	128
	19"	120/70 - 19	KAROO-4 m+s (RAD)	60T	TL	ε	212											
	17"	170/60 - 17	KAROO-4 m+s (RAD)	72T	TL	o	266											

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH			
ENDURO--AT																	
E N D U R O - A T	14"	180/80 - 14									V275 (A/T) {Rear}	78P	TT	o	114		
	16"	120/90 - 16									V163 (A/T)	63P	TL	o	87		
	17"	3.00 - 17									V022 (A/T)	48R	TT	=	44		
	!	4.60 - 17									V022 (A/T)	62R	TT	o	76		
	!	110/90 - 17								MT60 (A/T)	60P	TT	o	132			
	!	120/90 - 17	Sahara-3 (A/T)	64S	TT	o	143	MT60 (A/T)	64S	TT	o	143	V163 (A/T)	64T	TT	o	92
	!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	o	146	MT60 (A/T) MST	65H	TL	o	146	V163 (A/T)	65S	TL	o	99
	!	130/80 - 17	Sahara-3 (A/T)	65T	TL	o	158										
	!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	o	162	MT60 (A/T) MST	69H	TL	o	162					
	18"	3.00 - 18										V022 (A/T)	52R	TT	=	50	
!	4.10 - 18										V221 (A/T)	60P	TT	o	76		
!	4.60 - 18										V221 (A/T)	63P	TT	o	85		
!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	o	139											
!	130/80 - 18										V274 (A/T) {Front}	66P	TT	ε	85		
!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	o	162											
!	150/70 VR 18						*Sco. MT90 (A/T)	70V	TL	o	213						
19"	2.75 - 19										V022 (A/T)	49R	TT	=	40		
!	90/90 - 19						MT60 (A/T)	52P	TT	ε	105	V307 (A/T)	52P	TL	ε	76	
!	90/100 - 19										V163 (A/T)	55P	TL	ε	77		
!	100/90 - 19						MT60 (A/T)	57H	TL	ε	121						
21"	2.75 - 21										V221 (A/T)	45P	TT	ε	50		
!	3.00 - 21										V221 (A/T)	51P	TT	ε	58		
!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	122	MT60 (A/T) MST	54H	TL	ε	122	V163 (A/T)	54S	TL	ε	77	
!	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	131	*Sco. MT90 (A/T)	54V	TL	ε	155						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto					
			index	TL	ε	ο	TIMH	index	TL	ε	ο	TIMH	index	TL	ε	ο
ENDURO--Street / Rally																
E N D - S T R	17"	110/70 <> 17	KAROO-Street m+s	54S	TL	ε	201	Sco.-Rally-STR m+s	54H	TL	ε	184				
	!	120/70 <> 17	KAROO-Street m+s	58V	TL	ε	206	Sco.-Rally-STR m+s	58H	TL	ε	185				
	!	130/80 VR 17	KAROO-Street m+s	65V	TL	ο	243	Sco.-Rally-STR m+s	65V	TL	ο	232				
	!	140/70 - 17	KAROO-Street m+s	66S	TL	ο	202									
	!	140/80 VR 17	KAROO-Street m+s	69V	TL	ο	238	Sco.-Rally-STR m+s	69V	TL	ο	234				
	!	150/60 HR 17						Sco.-Rally-STR m+s	66H	TL	ο	213				
	!	180/55 VR 17	KAROO-Street m+s	73V	TL	ο	333	Sco.-Rally-STR m+s	73V	TL	ο	318				
	18"	110/80 HR 18						Sco.-Rally-STR m+s	58H	TL	ε	197				
	!	150/70 VR 18	KAROO-Street m+s	70V	TL	ο	235	Sco.-Rally-STR m+s	70V	TL	ο	228				
	19"	100/90 - 19	KAROO-Street m+s	57V	TL	ε	208	Sco.-Rally-STR m+s	57V	TL	ε	199				
	21"	90/90 - 21	KAROO-Street m+s	54V	TL	ε	179	Sco.-Rally-STR m+s	54V	TL	ε	174				
	19"	110/80 VR 19	KAROO-Street m+s	59V	TL	ε	219	Sco.-Rally-STR m+s	59V	TL	ε	208				
	17"	150/70 VR 17	KAROO-Street m+s	69V	TL	ο	243	Sco.-Rally-STR m+s	69V	TL	ο	233				
	19"	120/70 VR 19	KAROO-Street m+s	60V	TL	ε	217	Sco.-Rally-STR m+s	60V	TL	ε	209				
17"	170/60 VR 17	KAROO-Street m+s	72V	TL	ο	275	Sco.-Rally-STR m+s	72V	TL	ο	266					

ENDURO XC (Mid-HARD)																
X C	18"	100/100 - 18						Scorpion-XC (mid-HARD)	59R	TT	ο	109				
	!	110/100 - 18						Scorpion-XC (mid-HARD)	64M	TT	ο	116				
	!	140/80 - 18						Scorpion-XC (mid-HARD)	70M	TT	ο	124				
	21"	80/100 - 21						Scorpion-XC (mid-HARD)	51R	TT	ε	89				

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto				
			index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	
ENDURO (FIM)															
E N D U R O - F I M	18"	110/80 - 18	MCE-6days (MEDIUM)	58R	o	124									
	!	120/90 - 18	MCE-6days (MEDIUM)	65M	o	126									
	!	130/90 - 18	MCE-6days (Standard)	69M	o	129									
	!	140/80 - 18	MCE-6days (ExtraSOFT)	70M	white o	148									
	!	140/80 - 18	MCE-6days (SuperSOFT)	70M	green o	145									
	!	140/80 - 18	MCE-6days (SOFT)	70M	orange o	136									
	!	140/80 - 18	MCE-6days (MEDIUM)	70M	red o	129									
	!	140/80 - 18	MCE-6days (Standard)	70M	o	129					V211 (FIM)	70R	FIM	o	83
	21"	80/90 - 21	MCE-6days (Standard)	48R	ε	87									
	!	90/90 - 21	MCE-6days (SOFT)	54M	orange ε	99									
	!	90/90 - 21	MCE-6days (Standard)	54R	ε	92					V211 (FIM)	54R	FIM	ε	58
	!	90/100 - 21	MCE-6days (SuperSOFT)	57M	green ε	119									
!	90/100 - 21	MCE-6days (Standard)	57R	ε	107										

ENDURO (Rally--Cross)																
R A L L Y - C R O S S	17"	4.10 - 17									V147 (Rally-Cross)	67P	TT	o	59	
	!	120/90 - 17					MT21 Rally-Cross	64R	TT	o	121					
	!	130/90 - 17					MT21 Rally-Cross	68P	TT	o	128	V147 (Rally-Cross)	68P	TT	o	93
	18"	110/80 - 18					MT21 Rally-Cross	58P	TT	o	92					
	!	120/80 - 18					MT21 Rally-Cross	62R	TT	o	117					
	!	120/90 - 18					MT21 Rally-Cross	65R	TT	o	124	V147 (Rally-Cross)	69R	TT	o	89
	!	130/90 - 18					MT21 Rally-Cross	69R	TT	o	128					
	!	140/80 - 18					MT21 Rally-Cross	70R	TT	o	130	V147 (Rally-Cross)	70R	TT	o	92
	21"	80/90 - 21					MT21 Rally-Cross	48P	TT	ε	71					
	!	90/90 - 21					MT21 Rally-Cross	54R	TT	ε	83	V147 (Rally-Cross)	54R	TT	ε	59

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο =	TIMH	PIRELLI	index	TL	εο =	TIMH	VeeMoto	index	TL	εο =	TIMH	
CROSS (JUNIOR Mid-SOFT)																		
J U N I O R - M X	10"	2.50 - 10	< RACE--Junior > Mid--SOFT					> MX32 (RACE Mid-SOFT)	33J	TT	ε		52	> V140 (Mid-SOFT)	33J	TT	=	24
	!	2.75 - 10						> MX32 (RACE Mid-SOFT)	37J	TT	ο	81						
	12"	60/100 - 12						> MX32 (RACE Mid-SOFT)	36M	TT	ε	60						
	!	80/100 - 12						> MX32 (RACE Mid-SOFT)	50M	TT	ο	92	> V140 (Mid-SOFT)	41M	TT	ο	44	
	14"	60/100 - 14						> MX32 (RACE Mid-SOFT)	29M	TT	ε	61						
	!	90/100 - 14						> MX32 (RACE Mid-SOFT)	49M	TT	ο	101						
	16"	90/100 - 16						> MX32 (RACE Mid-SOFT)	51M	TT	ο	106	> V140 (Mid-SOFT)	51M	TT	ο	59	
	17"	70/100 - 17						> MX32 (RACE Mid-SOFT)	40M	TT	ε	76	> V140 (Mid-SOFT)	40M	TT	=	40	
19"	70/100 - 19	> MX32 (RACE Mid-SOFT)	42M	TT	ε	86	> V140 (Mid-SOFT)	42M	TT	ε	45							

CROSS (Mid-HARD)																	
M I D - H A R D	18"	100/100 - 18	MC360 (Mid-HARD)	59M	TT	ο	109						Force A/T (Mid-HARD)	59M	TT	ο	76
	!	110/100 - 18	MC360 (Mid-HARD)	64M	TT	ο	114						Force A/T (Mid-HARD)	64M	TT	ο	79
	!	120/100 - 18	MC360 (Mid-HARD)	68M	TT	ο	118										
	!	140/80 - 18	MC360 (Mid-HARD)	70M	TT	ο	126										
	19"	100/90 - 19						MX-EXTRA (Mid-HARD)	57M	TT	ο	109	V500 (Mid-HARD)	57M	TT	ο	78
	!	110/90 - 19	*MC360 (Mid-HARD)	62M	TT	ο	117	MX-EXTRA (Mid-HARD)	62M	TT	ο	117	V500 (Mid-HARD)	62M	TT	ο	84
	!	120/80 - 19	*MC360 (Mid-HARD)	63M	TT	ο	121										
	21"	80/100 - 21						MX-EXTRA (Mid-HARD)	51M	TT	ε	87	Force/500 (Mid-HARD)	51M	TT	ε	63
!	90/90 - 21	MC360 (Mid-HARD)	54M	TT	ε	93											

CROSS (Mid-HARD / RACE)																	
R A C E	19"	100/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο	115	> MX32 (Mid-HARD)	NHS	TT	ο	124	< RACE > Mid--HARD				
	!	110/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο	120	> MX32 (Mid-HARD)	NHS	TT	ο	129					
	!	120/80 - 19	> MC360R (Mid-HARD)	NHS	TT	ο	124	> MX32 (Mid-HARD)	NHS	TT	ο	134					
	21"	80/100 - 21	> MC360R (Mid-HARD)	MST	TT	ε	92	> MX32 (Mid-HARD)	MST	TT	ε	99					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH
CROSS (Mid-SOFT)														
M - S O F T	18"	100/100 - 18	MC360 (Mid-SOFT)	59M	TT	o	109							
	!	110/100 - 18	MC360 (Mid-SOFT)	64M	TT	o	114							
	!	120/80 - 18	MC360 (Mid-SOFT)	62R	TT	o	114							
	!	120/100 - 18	MC360 (Mid-SOFT)	68M	TT	o	118							
	!	140/80 - 18	MC360 (Mid-SOFT)	70M	TT	o	126							
	21"	90/90 - 21	MC360 (Mid-SOFT)	54M	TT	ε	93							

CROSS (Mid-SOFT / RACE)															
R A C E	19"	100/90 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	118	> MX32 (Mid-SOFT)	NHS	TT	o	129	< RACE > <u>Mid--SOFT</u>		
	!	110/85 - 19					> MX32 (Mid-SOFT)	NHS	TT	o	127				
	!	110/90 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	123	> MX32 (Mid-SOFT)	NHS	TT	o	135			
	!	120/80 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	127	> MX32 (Mid-SOFT)	NHS	TT	o	139			
	!	120/90 - 19					> MX32 (Mid-SOFT)	NHS	TT	o	143				
	21"	80/100 - 21	> MC360R (Mi-SOFT)	MST	TT	ε	96	> MX32 (Mid-SOFT)	MST	TT	ε	103			
	!	90/100 - 21					> MX32 (Mid-SOFT)	M+S	TT	ε	108				

MOUSSE (Enduro / Cross)														
M O U S S E	18"	140/80 - 18	MOUSSE (E-18H1)	End-Med.	METZ		184							
	21"	90/90 - 21	MOUSSE (E-21C1)	End-Med.	METZ		184							
	!	90/100 - 21	MOUSSE (E-21C2)	End-Med.	METZ		184							
	19"	110/90 - 19						MOUSSE (X-19E1)	MX-Med.	PIR		184		
	!	120/80 - 19						MOUSSE (X-19F1)	MX-Med.	PIR		184		
	21"	80/100 - 21						MOUSSE (X-21B2)	MX-Med.	PIR		184		
	GEL	GEL--Mousse	MOUSSE--GEL (Can x 1 Kg.)	METZELER			53	MOUSSE--GEL (Can x 1 Kg.)	PIRELLI			53		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index	TL εο =	TIMH	PIRELLI index	TL εο =	TIMH	VeeMoto index	TL εο =	TIMH
ATV "ON / OFF"											
A T V	6"	145/70 - 6							V196 WorkHorse	2PR	TL = 32
	7"	16 x 8 - 7							V196 WorkHorse	2PR	TL = 44
	8"	22 x 11 - 8							V337 Enduro	2PR	TL = 93
A T V	9"	22 x 11 - 9							V337 Enduro	2PR	TL = 112
	12"	24 x 8 - 12							V326F Enduro	4PR	TL ε 98
	!	24 x 10 - 12							V326R Enduro	4PR	TL o 101
A T V	8"	20 x 7 - 8							V208 Speedway	4PR	TL = 59
	10"	21 x 7 - 10							V208 Speedway	4PR	TL = 67
	!	22 x 8 - 10							V208 Speedway	4PR	TL = 72
A T V	!	22 x 11 - 10							V189 Grizzly	4PR	TL = 123
	12"	25 x 8 - 12							V189 Grizzly	4PR	TL = 112
	!	25 x 10 - 12							V189 Grizzly	4PR	TL = 127

ΑΕΡΟΘΑΛΑΜΟΙ "CROSS"											
C R O S S	18"	100/100 - 18							Αερθ. Vee--CROSS	TR4	HD 17,0
	!	110/100 - 18	Αερθ. CROSS (CR-18F) {100 > 140 - 18}	26,0	Αερθ. CROSS (21B-18) {100 > 140 - 18}	26,0		Αερθ. Vee--CROSS	TR4	HD 18,0	
	!	120/100 - 18						Αερθ. Vee--CROSS	TR4	HD 19,0	
	19"	100/90 - 19						Αερθ. Vee--CROSS	TR4	HD 17,0	
	!	110/90 - 19	Αερθ. CROSS (CR-19E) {100 > 120 - 19}	26,0	Αερθ. CROSS (21B-19) {100 > 120 - 19}	26,0		Αερθ. Vee--CROSS	TR4	HD 18,0	
	!	120/80 - 19						Αερθ. Vee--CROSS	TR4	HD 19,0	
	21"	80/100 - 21	Αερθ. CROSS (CR-21D) {80 > 90 - 21}	23,0	Αερθ. CROSS (10B-21) {80 > 90 - 21}	23,0		Αερθ. Vee--CROSS	TR4	HD 16,0	

V	RIM	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER valve	ίσια {90}	TIMH	PIRELLI valve	ίσια {90}	TIMH	VeeMoto valve	ίσια {90}	TIMH	
ΑΕΡΟΘΑΛΑΜΟΙ "SAMSON"												
SAMSON		3.00/3.50 - 10	SAMSON--Tubes < In Bag > (by VeeRubber)						> Αερθ. SAMSON (bag)	TR87	{90}	5,7
		2.00/2.25 - 17							> Αερθ. SAMSON (bag)	TR4	ίσια	4,9
		2.25/2.50 - 17							> Αερθ. SAMSON (bag)	TR4	ίσια	5,1
		2.50/2.75 - 17							> Αερθ. SAMSON (bag)	TR4	ίσια	5,4

ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ εως 14")														
ΑΕΡΟΘΑΛΑΜΟΙ	6"	5.4 - 6							Αερθ. VeeMoto (box)	TR87	{90}	11,3		
	8"	2.50 - 8							Αερθ. VeeMoto (box)	TR87	{90}	6,5		
	!	3.00 - 8							Αερθ. VeeMoto (box)	TR87	{90}	6,5		
	!	3.50/4.00 - 8							Αερθ. VeeMoto (box)	TR87	{90}	7,5		
	10"	2.50/2.75 - 10				MA-10	TR4	ίσια	11,0	Αερθ. VeeMoto (box)	TR87	{90}	6,5	
	!	3.00/3.50 - 10	*Me D-10 (Off-8mm)	TR4	ίσια	11,3	10-C10 (Off-5mm)	TR87	{90}	11,0	> Αερθ. SAMSON (bag)	TR87	{90}	5,7
	!	3.50/4.00 - 10								Αερθ. VeeMoto (box)	TR87	{90}	8,9	
	!	120/130 - 10								Αερθ. VeeMoto (box)	TR87	{90}	8,9	
	12"	60/100 - 12				MH-12	TR4	ίσια	13,5					
	!	80/100 - 12				MA-12	TR4	ίσια	13,5					
	!	3.00/3.25 - 12								Αερθ. VeeMoto (box)	TR4	ίσια	7,5	
	!	120/130 - 12								Αερθ. VeeMoto (box)	TR87	{90}	9,9	
	13"	130/60 - 13								Αερθ. VeeMoto (box)	TR87	{90}	9,5	
	14"	2.00/2.25 - 14				MA-14 (60/100 - 14)	TR4	ίσια	13,5	Αερθ. VeeMoto (box)	TR4	ίσια	5,7	
	!	2.75/3.00 - 14								Αερθ. VeeMoto (box)	TR4	ίσια	6,9	
	!	4.10 - 14				MB-14 (90/110 - 14)	TR4	ίσια	13,5	Αερθ. VeeMoto (box)	TR4	ίσια	8,7	
!	180/80 - 14								Αερθ. VeeMoto (box)	TR4	ίσια	19,8		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			valve	ίσια {90}	TIMH	valve	ίσια {90}	TIMH	valve	ίσια {90}	TIMH			
ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ 15" εως 21")														
Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	15"	130/140 - 15	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR87 ή TR4	10,2	
	!	170/80 - 15	Me E-15	TR4	ίσια	22,0					Αερθ. VeeMoto (box)	TR87 {90}	19,8	
	16"	2.00/2.25 - 16					7A-16 (2.25 / 2.50 - 16)	TR4	ίσια	11,0	Αερθ. VeeMoto (box)	TR4	ίση	5,9
	!	2.50/2.75 - 16									Αερθ. VeeMoto (box)	TR4	ίση	6,5
	!	3.00/3.25 - 16									Αερθ. VeeMoto (box)	TR4	ίση	7,8
	!	3.25/3.50 - 16	Me C-16	TR4	ίση	13,5	MB-16	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,8
	!	4.50/5.10 - 16	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,5
	17"	45/90 - 17									Αερθ. VeeMoto (box)	TR4	ίση	5,2
	!	2+2.1/2 - 16+17									Αερθ. VeeMoto (box)	TR4	(16+17)	5,7
	!	2.00/2.25 - 17									> Αερθ. SAMSON (bag)	TR4	ίση	4,9
	!	2.25/2.50 - 17					7A-17	TR4	ίση	11,0	> Αερθ. SAMSON (bag)	TR4	ίση	5,1
	!	2.50/2.75 - 17	Me CD-17	TR4	ίση	13,5					> Αερθ. SAMSON (bag)	TR4	ίση	5,4
	!	2.75/3.00 - 17	Me CD-17	TR4	ίση	13,5	MA-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,5
	!	120/80+90 - 17	Me E-17*	TR4	ίση	13,5	MC-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	10,7
	!	4.50/5.10 - 17	Me F-17B	TR4	ίση	13,5	MD-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,8
	18"	2.50/2.75 - 18	Me C-18	TR4	ίση	13,5					Αερθ. VeeMoto (box)	TR4	ίση	6,8
	!	3.00/3.25 - 18					MA-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,9
	!	3.25/4.10 - 18	Me E-18Y	TR4	ίση	13,5	MB-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,1
	!	4.00/4.50 - 18	Me F-18Y	TR4	ίση	13,5	MD-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,2
	19"	2.75/3.00 - 19	Me D-19	TR4	ίση	13,5	MA-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,7
!	3.25/4.10 - 19	Me E-19	TR4	ίση	13,5	MC-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5	
21"	2.75/3.00 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,3	
!	90/90 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index	TIMH	PIRELLI index	TIMH	VeeMoto	BOX x 5	TIMH
ΦΑΚΑΡΟΛΕΣ--Bands (ΜΟΤΟ 15" εως 21")									
B A N D S	15"	120/170 - 15					ΦΑΚΑΡΟΛΑ 15` x 35mm	BOX x 5	15,0
	17"	2.50/2.75 - 17					ΦΑΚΑΡΟΛΑ 17` x 25mm	BOX x 5	15,0
	!	3.00/4.00 - 17					ΦΑΚΑΡΟΛΑ 17` x 30mm	BOX x 5	15,0
	!	120/170 - 17					ΦΑΚΑΡΟΛΑ 17` x 35mm	BOX x 5	15,0
	18"	120/170 - 18					ΦΑΚΑΡΟΛΑ 18` x 35mm	BOX x 5	15,0
	19"	3.00/120 - 19					ΦΑΚΑΡΟΛΑ 19` x 30mm	BOX x 5	15,0
	21"	3.00/100 - 21					ΦΑΚΑΡΟΛΑ 21` x 30mm	BOX x 5	15,0

ΦΑΚΑΡΟΛΕΣ---VeeMoto (25 εως 35mm πλάτος & 15" εως 21"inch. Ζάντα)

TIMH = BOX x 5 >> 15,0

Intramoto ΑΕ Λογαριασμοί "ΤΡΑΠΕΖΩΝ" & IBAN

Intramoto ΑΕ Σ. Βέμπο 21 & Ιάσωνος 1 (165 61) Γλυφάδα Τηλ: 210-9603961-3 Fax: 210-9640201 VIBER: 6980-309356

VIVA--Wallet (ΑΦΜ--Intramoto: 094334000)

E-mail: intramoto@intramoto.gr (www.intramoto.gr)

ALPHA Λογ. 386 0023 2000 0355

ALPHA IBAN. GR 8501 4038 6038 6002 3200 00355

ΕΘΝΙΚΗ Λογ. 121 / 47030063

ΕΘΝΙΚΗ IBAN. GR 5801 1012 1000 0012 1470 30063

ΠΕΙΡΑΙΩΣ Λογ. 5019 01578 4513

ΠΕΙΡΑΙΩΣ IBAN. GR 1601 7201 9000 5019 0157 84513

EURObank Λογ. 0026 0004 5002 0036 3766

EURObank IBAN. GR 8202 6000 4000 0500 2003 63766